



ORIGINAL CERAMIC DESIGN

CONTEMPORARY TOUCH Porcelain stoneware becomes a tool for design to give value to contemporary spaces. Delicate tone-on-tone directional lines offer character and originality to the material.

- CAESAR MADE IN USA 03
  - INSPIRATION 05
  - PHOTO GALLERY 07
    - range 23

Starting in **1997**, the company has a branch office and a warehouse located in **New** Jersey (Eatontown) company owned Caesar USA Inc. Over the years, Caesar's service in the USA has increased in a capillary way with the opening of new logistic hubs in Florida and California.

This path goes on in 2016 with the local production of porcelain collections dedicated to the American market. These products are manufactured in the **brand-new** plant located in Tennessee (MT Pleasant) owned by Gruppo Concorde, which Caesar is part of.

#### **DESIGNED IN ITALY**

The materials, specifically thought for the American market are **designed in Italy** thanks to the **unique know-how** that the company has developed over years of activity.

#### **MADE IN USA**

The industrial production is in the USA offering considerable logistic **advantages** to the entire distribution network.




**Created for the USA market** Exclusive products and collections designed to meet the needs of American consumers.

Modern and state of the art production sites: maximum quality, efficiency, care of the workers and of the environment.



Top logistic and service Market presence, quick distribution, improved customer service.

Thanks to the strategy **Designed in Italy Made in USA**, Caesar offers doubles the advantages offered to American clients.



# CAESAR USA

2

**ADVANTAGES** 






#### Avant-garde technology



Style, Design, trend The Italian ceramic tradition interprets American taste to create products featuring unique appeal and certified reliability.



A broad range The made in the USA products enrich the broad range of Caesar Made in Italy products, with more than 2400 items, 240 colors and more than 30 sizes.

MADE IN USA

& Marble

Tile

\_ On one hand, the style and technical avant-garde of a design developed by Caesar in Italy. \_ On the other hand, the logistic and commercial advantages of a made in the USA product.

### PORCELAIN STONEWARE

## SIZES



COLORS

RUN is pure ceramic design with a minimal and contemporary look.

The Run range includes three sizes, 24"x24", 12"x24" and 6"x24", and four colors, which play with subtle irregular stripes. Caesar's research has enhanced the strength of porcelain stoneware with the delicacy of color, to give a contemporary appeal and character to the collection.








## RUN SAL TREND-SETTING FLOORS AND WALLS.






Run is a surface with an exclusive and versatile design: the colours, sizes and mosaics stylishly cover all environments of residential and public areas.












## DESIGN AND TECHNICAL PERFORMANCE.





Run sizes are modular and can be combined to form minimal or more complex patterns.







CLAY

## REFINED SOLUTIONS, WITH A STRONG PERSONALITY.





The directional pattern of Run is suitable for installation in the same direction or in random manner, as in this elegant bedroom.









THE EXTRA IDEA FOR ORIGINAL AND WELCOMING PROJECTS.





The colour and texure of Run, combined with wooden furniture and natural fabrics, create environments that are full of beauty and warmth.














Composizione M

2"x2"\_Mosaic on 12"x12" sheet









NO V.O.C



Low water absorption (<0,5%)



Made in Usa




TRIMS









Composizione M


2"x2"\_Mosaic on 12"x12" sheet














Low water absorption (<0,5%)





Frost Proof


Made in Usa

TRIMS









Composizione M

2"x2"\_Mosaic on 12"x12" sheet













Frost Proof





Made in Usa




TRIMS









Composizione M

_	 _	 	

2"x2"\_Mosaic on 12"x12" sheet














Low water absorption (<0,5%)



Made in Usa




TRIMS

### MATTER LOOK

## TILE PERFORMANCE DATA

COLORED-BODY PORCELAIN TILES - RECTIFIED, ONE CALIBER

Colored-body porcelain stoneware tiles are produced minimizing the color difference between the glaze and the body. Nevertheless, the design is visible only on the surface.



Matt, Rectified, One caliber

PACKAGING											
INCHES	MM	PCS	SURFACE (SQF)	SURFACE (SQM)	WEIGTH (LBS)	WEIGTH (KG)	BOXES	SURFACE (SQF)	SURFACE (SQM)	WEIGTH (LBS)	WEIGTH (KG)
24"x24"	610x610	3	11,62	1,08	~47,62	~21,6	40	465	43,2	~1904,77	~864
12"x24"	305x610	7	13,56	1,26	~55,55	~25,2	40	542,51	50,4	~2222	~1008
6"x24"	152x610	10	9,69	0,9	~39,68	~18	40	387,5	36	~1587,3	~720

V0	V1	V2	V3	V4
Very Uniform appearance. Pieces of the same shade value are very uniform and smooth in texture. They can be measured for small color differences and are in compliance with the color uniformity requirements of tables 6-10 (ANSI A137.1-2012)	Uniform Appearance. Differences among pieces from the same production run are minimal.	Slight Variation. Clearly distinguishable texture and/or pattern within similar colors.	Moderate Variation. While the colors and/or textures present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.	Substantial Variation. Random color and/or texture differences from tile to tile, so that one tile may have totally different colors and/or textures from that on other tiles. Thus, the final installation will be unique. It is recommended that the range be viewed before selection.

Color reproductions may vary from actual products.

Caesar reserves the right to modify the products illustrated in this catalogue for reasons of production or to improve quality. Samples are purely indicative. Packaging and weights may vary for production reasons. Contact our sales department when ordering.

In case of running pattern installation, Caesar recommends a maximum 33% offset.

Caesar warrants that our products meet or exceed the requirements of ANSI, specification ANSI A137.1: 2012, as shown in our Tile Performance Data sheets.

### **→** Facial dimension **\_\_\_\_** Thickness . Wedging Real A Warpage diagonal ↓ V Warpage edge Water absorption <u>+</u>L Breaking strength Freeze thaw 2 Chemical resistance MOHS hardness

BOT 3000 DCOF \*

D

Average values referred to the last two years of production and related to the matt finish of the product. Values relate to the matt finish of the product and to tests carried out by certified external laboratories, whose results are available upon request at Headoffice. Be sure to use the same caliber tiles. Color reproductions may vary from actual products. \* Due to the intrinsic nature of porcelain stoneware tiles, please note that the coefficient of friction may vary within the same production lot or from one production lot to the other. Caesar products can become slippery when wet. We recommend to always keep the surface dry.



#### COLORED-BODY PORCELAIN TILES - RECTIFIED CLASSIFICATION IN ACCORDANCE WITH ANSI A137.1: 2012 (P1 CLASS).

ASTM TEST	VALUE REQUIRED ANSI A 137.1-2012	CAESAR AVERAGE VALUE
ASTM C-499	±0 ,25% or ± 0,03 in	
ASTM C-499	RANGE: 0,040 inch max (1 mm)	
ASTM C-502	±0 ,25% or ± 0,03 in	In accordance to ANSI A 137.1-2012
ASTM C-485	± 0,4% or ± 0,07 in	
ASTM C-485	± 0,4% or ± 0,05 in	
ASTM C-373	≤ 0,5%	Passed "impervious tiles" Class P1
ASTM C-648	≥ 250 lbs (>=1113 N)	≥400 lbs
ASTM C-1026	No damages	In accordance
ASTM C-650	As reported	Unaffected
		Coeff. 6
BOT 3000	0,42	In accordance



## CLEANING PROCEDURES

- After 36/48 hours, when both the floor and the grouts have completed their first drying phase and before the real phase of the floor has yet to begin, it is necessary to proceed with the cleaning of the tiled surface using a "padding" action acid detergent, diluted according to the manufacturer's instructions.
- For areas heavily stained with grout, it is necessary to repeat this operation once or twice, increasing the percentage of water.
- The excess grout residue must be removed so that it does not dry and stick on the surface. It is necessary to change the cleaning water frequently and rinse well.
- Care must be taken on inlayed, polished and anti-slip products; for the latter in particular, the use of a floor-washing machine combined with the action of an acid detergent helps reach the spaces between adjacent tiles and clean them properly.
- If such a cleaning procedure is not carried out, or if such cleaning is carried out too late, the grout residue creates an extremely absorbent film, which holds dirt, making the surface difficult to clean: in this case, Ceramiche CAESAR S.p.A. will not be liable for any damage caused to the surface.
- We would like to remind you that porcelain stoneware is a product with excellent technical features which allow for high grade of mechanical wear and resistance to acids (except for hydrofluoric acid and its derivatives) and alkalis, features which are added to a high aesthetic quality.
- Ordinary maintenance must be carried out using specialist detergents to remove stains but these detergents must not leave a wax, film or membrane residue.
- Rinsing well with plenty of clean water is a fundamental part of the cleaning procedure, therefore we advise against the use of products which state that they "do not need rinsing".
- For more detailed and updated information, please consult the website www.caesarceramicsusa.com, or contact our sales department.





PORCELAIN STONEWARE

Caesar reserves the right to modify the products illustrated in this catalogue for reasons of production or to improve quality. Samples are purely indicative. Packaging and weights may vary for production reasons. Contact our sales department when ordering

Caesar warrants that our products meet or exceed the requirements of ANSI, specification ANSI A1 as shown in our Tile Performance Data sheets.

The Caesar complete terms and conditions of sale (including limited warranty) are specified in the Should you need further information, please contact our sales department.





run





