

light in motion



Simplicity is the ultimate form
of sophistication.

La simplicidad es la forma máxima
de sofisticación.

Leonardo da Vinci





Perfection is not a small thing,
but is made of small things.


La perfección no es cosa pequeña,
pero está hecha de pequeñas cosas.

Miguel Ángel



Subway Lab

by WOW



light in motion



SUBWAY LAB
by WOW

TROPICAL
TILE & MARBLE

1 Line One

Colours Line One

- G1
- G2
- G3
- G4
- G5
- G6
- M1
- M2
- M3
- M4



- G1. Ice White Gloss
- G2. Natural Gloss
- G3. Cotton Gloss
- G4. Pearl Gloss
- G5. Ash Grey Gloss
- G6. Graphite Gloss
- M1. Ice White Matt
- M2. Natural Matt
- M3. Ash Grey Matt
- M4. Graphite Matt

*Delta M: Only available in Matt/ Solamente disponible en Mate

1 Line One

Shapes Line One




Liso M
3"x6" / 7,5x15 cm



Canale M
3"x6" / 7,5x15 cm
*8 different pieces randomly mixed



Peak
3"x6" / 7,5x15 cm
*8 different pieces randomly mixed



Delta M
3"x6" / 7,5x15 cm



Edge M
0,3"x6" / 0,8x15 cm



Edge Corner
0,3"x0,3"x0,3" / 0,8x0,8x0,8 cm

Subway Lab
by WOW

C Canale M

Inspiration Line One

Colours

M1

M1. Ice White Matt



Colours

M1

M1. Ice White Matt

Subway Lab
by WOW

D Delta M

Inspiration Line One

Subway Lab
by WOW

P L E Peak + Liso M + Edge M

Inspiration Line One



Colours

M1


G3

M1. Ice White Matt
G3. Cotton Gloss

Subway Lab
by WOW

L Liso M

Inspiration Line One



Colours

M1

M1. Ice White Matt

2 Line Two

Colours Line Two

- G1

G2

G3

G4

G5

G6
- M1

M2

M3

M4

G1. Ice White Gloss
G2. Natural Gloss
G3. Cotton Gloss
G4. Pearl Gloss
G5. Ash Grey Gloss
G6. Graphite Gloss
M1. Ice White Matt
M2. Natural Matt
M3. Ash Grey Matt
M4. Graphite Matt

*Arch XL + Delta XL: Only available in Matt/ Solamente disponible en Mate

- L2
- Liso XL

Dome

New Bevel

Edge Corner


Edge XL

Delta XL^{*}

Arch XL^{*}

2 Line Two

Shapes Line Two



 Edge Corner
0,3"x0,3"x0,3" / 0,8x0,8x0,8 cm

Subway Lab
by WOW

L E Liso XL + Edge XL

Inspiration Line Two

Colours

G6

G6. Graphite Gloss





Subway Lab
by WOW

A Arch XL + Edge XL

Inspiration Line Two

Colours

M1

M1. Ice White Matt



Subway Lab
by WOW

D Dome

Inspiration Line Two

Colours

M1

M1. Ice White Matt

Colours

M1

M1. Ice White Matt

Subway Lab
by WOW

B E New Bevel + Edge XL

Inspiration Line Two

Colours

M1

G5

M1. Ice White Matt
G5. Ash Grey Gloss

Subway Lab
by WOW

D L Delta XL + Liso XL

Inspiration Line Two

3 Line Three

Colours Line Three

- G1

G3

G4


G5
- M1

M3

M4


G1. Ice White Gloss
G3. Cotton Gloss
G4. Pearl Gloss
G5. Ash Grey Gloss

M1. Ice White Matt
M3. Ash Grey Matt
M4. Graphite Matt



3 Line Three

Shapes Line Three



Mini Hexa
6"x7" / 15x17,3 cm

Mini Hexa Canale
6"x7" / 15x17,3 cm
*4 different pieces randomly mixed

Mini Hexa Bevel
6"x7" / 15x17,3 cm

Chevron A
2"x9" / 5x23 cm

Chevron B
2"x9" / 5x23 cm

Subway Lab
by WOW

M Mini Hexa

Inspiration Line Three

Colours

M1

M1. Ice White Matt



Colours

M4

M4. Graphite Matt

Subway Lab
by WOW



Mini Hexa Canale

Inspiration Line Three

Subway Lab
by WOW

B Mini Hexa Bevel

Inspiration Line Three

Colours

G3

G3. Cotton Gloss



Colours

M1

M3

M4

M1. Ice White Matt
M3. Ash Grey Matt
M4. Graphite Matt

Subway Lab
by WOW

V Chevron

Inspiration Line Three



Layout Solutions/ Ideas de Colocación

Subway Lab
by WOW

1

2

3

Colours

M4

M4. Graphite Matt

Subway Lab
by WOW

A L E

Arch XL + Liso XL + Edge XL

Inspiration Line Two

Colours

M4

M1

M4. Graphite Matt
M1. Ice White Matt

Subway Lab
by WOW

B L New Bevel + Liso XL

Inspiration Line Two

Colours

G6

G1

G6. Graphite Gloss
G1. Ice White Gloss

Subway Lab
by WOW

D L Dome + Liso XL

Inspiration Line Two

Colours

G1

G6

G1. Ice White Gloss
G6. Graphite Gloss

Subway Lab
by WOW

B L New Bevel + Liso XL

Inspiration Line Two

Colours

M1

M1. Ice White Matt

Subway Lab
by WOW

D D Delta XL + Delta M

Inspiration Line One + Line Two

Subway Lab
by WOW

L C Liso M + Canale M

Inspiration Line One

Colours

M1

M4

M1. Ice White Matt
M4. Graphite Matt

Colours

M4

M4. Graphite Matt

Subway Lab
by WOW

V Chevron

Inspiration Line Three

Subway Lab
by WOW

C Mini Hexa Canale

Inspiration Line Three

Colours

M1

M1. Ice White Matt



Subway Lab
by WOW

F Floor tiles by WOW

Porcelain Floors


Compatible with Line One, Line Two & Line Three



More about Floor Tiles by WOW
www.wowdesigneu.com

F Floor tiles by WOW

Shapes



Colours





Subway Lab
by WOW

T Triangle Floor

Inspiration Floor tile

Colours

M1

M1. Ice White Matt



H Hexa Floor + Chevron Floor

Inspiration Floor tiles

Colours

M3

M3. Ash Grey Matt

Subway Lab
by WOW



Trapezium Floor

Inspiration Floor tile



Colours

M3

M3. Ash Grey Matt



Chevron Floor

Inspiration Floor tiles




Colours

M1


M1. Ice White Matt

1 2 3 Line One + Line Two + Line Three


Layout Solutions / Ideas de colocación




Layout solution n° 1




Layout solution n° 2




Layout solution n° 3




Layout solution n° 4




Layout solution n° 5




Layout solution n° 6




Layout solution n° 7




Layout solution n° 8




Layout solution n° 9



Layout solution n° 10




Layout solution n° 11




Layout solution n° 12

1 Line One

Technical Drawings Line One



Technical Drawings Line Two




3 Line Three

Technical Drawings Line Three


M

Mini Hexa




C

Mini Hexa Canale




B

Mini Hexa Bevel



V

Chevron





Technical Features/ Información Técnica

Line One + Two + Three

Technical features for Dry-Pressed ceramic tiles with water absorption BIII (E_b >10%)
Características técnicas para las baldosas cerámicas prensadas en seco del grupo BIII(E_b>10%)

FEATURES/ CARACTERÍSTICAS		SPECIFICATION/ ESPECIFICACIÓN	NORMA
	Dimensional Features.	74.0 +/- 0.6 x 149.5 +/-0.6 mm 74.0 +/- 0.6 x 300.0 +/- 0.6 mm	UNE-EN ISO 10545-2:1998
	Water absorption.	E _b > 10%	UNE-EN ISO 10545-3:1997
	Modulus of rupture and breaking strength.	Thickness ≥ 7,5 mm Mínimo 600 N Thickness ≥ 7,5 mm Mínimo 12 N/mm2	UNE-EN ISO 10545-4:2012
	Crazing resistance.	Pass	UNE-EN ISO 10545-11:1997
	Household products resistance.	GA	UNE-EN ISO 10545-13:1998
	Chemical resistance.	GLA	UNE-EN ISO 10545-13:1998
	Stain resistance.	Class 5	UNE-EN ISO 10545-14:1998



Recommendations

Line One + Two + Three

BEFORE INSTALLING THE PRODUCT

The surface where the product is being installed must be clean and level.

It is recommended that the layout of the product is prepared before the final installation.

Make sure you choose an adhesive apt for the area where the product is being installed.

For installation on porous surfaces we recommend: Kerakoll Special® Eco, and for Non-porous surfaces: Kerakoll serie H40® Eco.

Also recommended as grouting mortar: Kerakoll Fugabella® Eco Porcelana 0-5 and for the areas susceptible to stains such as the backsplash: Kerakoll Fugalite® Eco.

TO ENHANCE YOUR WOW PRODUCT

In order to obtain the maximum WOW effect, use 1 mm (0 3/64 in) spacers between the tiles to maintain an even installation over the whole surface.

The colour of the grout should be as close as possible to the colour of your product.

Once the area has been grouted, and before the grout dries, remove any excess material with a damp sponge.

To enhance the light and shadow effect of WOW, adequate vertical lighting over the product should be installed (ideally, above the highest point of the installation)

MAINTENANCE

Maintenance free. Easy and practical to care for, due to the high standard of technical characteristics in each WOW ceramic product.

Avoid abrasive or acidic cleaning products.



Recomendaciones

Line One + Two + Three

ANTES DE LA COLOCACIÓN

Preparar la superficie sobre la que se va a colocar tu producto WOW. Debe estar limpia y aplomada.

Se recomienda plantear la colocación, previo a su instalación.

Elegir el material de agarre en función de las características de la superficie.

Se recomienda para colocación general en superficies porosas: Kerakoll special® Eco. y para superficies no porosas como el pladur: kerakoll serie H40® Eco.

Se recomienda el tipo de mortero de rejuntado en función de la zona de colocación. Colocación general: Kerakoll fugabella® Eco porcelana 0-5 y para las zonas más susceptibles a manchas como pueda ser la cocina: Kerakoll Fugalite® Eco.

PARA ENSALZAR EL ASPECTO DE TU PRODUCTO WOW

Se recomiendan separadores de 1mm. para colocar las piezas y conseguir de esta forma un aspecto WOW optimo.

También se aconseja el color de rejuntado similar al color del producto elegido.

Una vez rejuntado el producto, y antes de que se endurezca, retirar el material sobrante de rejuntado con una esponja mojada en agua.

Para potenciar el pronunciado efecto de luz y sombra sobre cada pieza, es de vital importancia colocar luz cenital, situada verticalmente sobre el producto.

MANTENIMIENTO

Práctico y sencillo de limpiar, dadas las excelentes características técnicas del producto WOW, tan sólo es necesario un cuidado rutinario, evitando la utilización de productos abrasivos o ácidos.



ENCAJADO/ PACKING

					
Modelo/ Model	Tamaño/ Size (cm)	Piezas/Caja Pieces/Box	kg/Caja kg/ Box	m²/Caja sqm/ Box	cajas/Palet Boxes/ Pallet
Liso M	7,5x15	46	7,42 kg	0,509 m²	132
Canale M	7,5x15	42	7,29 kg	0,465 m²	132
Peak	7,5x15	32	6,00 kg	0,354 m²	132
Delta M	7,5x15	32	6,42 kg	0,354 m²	132
Liso XL	7,5x30	23	7,52 kg	0,511 m²	132
Dome	7,5x30	14	5,33 kg	0,311 m²	132
Arch XL	7,5X30	12	5,35 kg	0,266 m²	132
Delta XL	7,5x30	16	6,62 kg	0,355 m²	132
New Bevel	7,5x30	16	6,02 kg	0,355 m²	132
Mini Hexa	15x17,3	30	8,34 kg	0,578 m²	80
Mini Hexa Canale	15x17,3	30	8,60 kg	0,578 m²	80
Mini Hexa Bevel	15x17,3	21	6,62 kg	0,405 m²	80
Chevron	5x23	23	3,77 kg	0,263 m²	150
Edge M	0,8x15	10	0,25 kg	1,495 m	-
Edge XL	0,8x30	10	0,39 kg	3,000 m	-
Edge Corner	0,8x0,8x0,8	-	-	-	-

PACKING

					
Model	Size (in)	Pieces/Box	Lbs/ Box	sq ft/ Box	Box/ Pallet
Liso M	3"x6"	46	16,36 lb	5,479 sq ft	132
Canale M	3"x6"	42	16,07 lb	5,005 sq ft	132
Peak	3"x6"	32	13,23 lb	3,810 sq ft	132
Delta M	3"x6"	32	14,15 lb	3,810 sq ft	132
Liso XL	3"x12"	23	16,58 lb	5,500 sq ft	132
Dome	3"x12"	14	11,75 lb	3,348 sq ft	132
Arch XL	3"x12"	12	11,79 lb	2,863 sq ft	132
Delta XL	3"x12"	16	14,59 lb	3,821 sq ft	132
New Bevel	3"x12"	16	13,27 lb	3,821 sq ft	132
Mini Hexa	6"x7"	30	18,38 lb	6,222 sq ft	80
Mini Hexa Canale	6"x7"	30	18,96 lb	6,222 sq ft	80
Mini Hexa Bevel	6"x7"	21	14,59 lb	4,359 sq ft	80
Chevron	2"x9"	23	8,32 lb	2,831 sq ft	150
Edge M	0,3"x6"	10	0,55 lb	4,905 ft	-
Edge XL	0,3"x12"	10	0,86 lb	9,843 ft	-
Edge corner	0,3"x0,3"x0,3"	-	-	-	-