Travertine

Where nature's beauty meets modern craftsmanship










Travertine



For centuries, natural travertine has been shaped by the earth, its soft, flowing movement created as water coursed through limestone, forming breathtaking patterns. Known for its rich colors and timeless elegance, travertine has been a cornerstone in both ancient and modern architecture, embodying a sense of enduring beauty.

MILE®stone's Travertine Collection captures the effortless beauty of nature's artistry, blending the enduring charm of this classic stone with cutting-edge technology. The result—a breathtaking range of colors and sizes designed to transform any space with sophistication and style.





5 Colors











8 Sizes

4 indoor

12"x24" 24"x48"


48"x96"

PRE-FAB

32"x96.5" 12mm (1/2")

2 outdoor

24"x24" 2CM 24"x48" 2CM




2 mosaics

9"x11" Hexagon 12"x12" Mosaic



Mosaic

Hexagon



Roman

Sizes and finishes

12"x24" Rec 1105618 Matte 1105623 Polished



24"x48" Rec 1105603 Matte 1105608 Polished 1105613 Chiseled



Pre-Fab 32"x96" Rec 12mm (½") 1105671 Matte 1105676 Sharknose Edge 12mm1 1106075 L-Shaped Top 12mm1



48"x96" Rec 1105688 Matte



2"x2" Mosaic (12"x12") 1105644 Matte 1105649 Polished



9"x11" Hexagon Mosaic

1105654 Matte

6"x12" Cove base

1105639 Matte

1105659 Polished

3"x24" Bullnose 1105629 Matte 1105634 Polished



24"x24" 2CM 24"x48" 2CM 1105535 Grip 1105530 Grip



Navona

Sizes and finishes



12"x24" Rec 1105619 Matte 1105624 Polished



24"x48" Rec 1105604 Matte 1105609 Polished 1105614 Chiseled



Pre-Fab 32"x96" Rec 12mm (½")
1105672 Matte
1105677 Sharknose Edge 12mm I
1106076 L-Shaped Top 12mm I



48"x96" Rec 1105689 Matte



2"x2" Mosaic (12"x12") 1105645 Matte 1105650 Polished



9"x11" Hexagon Mosaic 1105655 Matte 1105660 Polished



3"x24" Bullnose 1105630 Matte 1105635 Polished



6"x12" Cove base 1105640 Matte



24"x24" 2CM 1105536 Grip



24"x48" 2CM 1105531 Grip





Silver

Sizes and finishes



12"x24" Rec 1105620 Matte 1105625 Polished



24"x48" Rec 1105605 Matte 1105610 Polished 1105615 Chiseled



Pre-Fab 32"x96" Rec 12mm (½") 1105673 Matte 1105678 Sharknose Edge 12mm1 1106077 L-Shaped Top 12mm1



48"x96" Rec 1105690 Matte



2"x2" Mosaic (12"x12") 1105646 Matte 1105651 Polished



3"x24" Bullnose 1105631 Matte 1105636 Polished



9"x11" Hexagon Mosaic 1105656 Matte

1105661 Polished

6"x12" Cove base

1105641 Matte

24"x24" 2CM 24"x48" 2CM 1105537 Grip 1105532 Grip



Titanium

Sizes and finishes



12"x24" Rec 1105621 Matte 1105626 Polished



24"x48" Rec 1105606 Matte 1105611 Polished 1105616 Chiseled



Pre-Fab 32"x96" Rec 12mm (½") 1105674 Matte 1105679 Sharknose Edge 12mm I 1106078 L-Shaped Top 12mm I



48"x96" Rec 1105691 Matte



2"x2" Mosaic (12"x12") 1105647 Matte 1105652 Polished



9"x11" Hexagon Mosaic 1105657 Matte 1105662 Polished



3"x24" Bullnose 1105632 Matte 1105637 Polished



6"x12" Cove base 1105642 Matte



24"x24" 2CM 1105538 Grip



24"x48" 2CM 1105533 Grip





7

Bold

Sizes and finishes



12"x24" Rec 1105622 Matte 1105627 Polished



24"x48" Rec 1105607 Matte 1105612 Polished 1105617 Chiseled



Pre-Fab 32"x96" Rec 12mm (½") 1105675 Matte 1105680 Sharknose Edge 12mm1 1106079 L-Shaped Top 12mm1



48"x96" Rec 1105692 Matte



2"x2" Mosaic (12"x12") 1105648 Matte 1105653 Polished



9"x11" Hexagon Mosaic 1105658 Matte 1105663 Polished



3"x24" Bullnose 1105633 Matte 1105638 Polished



6"x12" Cove base

1105643 Matte

24"x24" 2CM 24"x48" 2CM 1105539 Grip 1105534 Grip



Pre-Fab Trim Pieces

L-Shaped Top




Sharknose Edge






navona titanium










navona bold

Backsplash Travertine_Bold_48"x96"_Matte Counter Top Travertine_Bold_Pre-Fab 32"x96" L-Shaped Top_Matte Table Top Travertine_Bold_Pre-Fab 32"x96" Sharknose_Matte Floor Travertine_Navona_24"x48"_Matte






roman silver










roman titanium





navona





Colors & Sizes

Colors	12"x24"	24"x48"	48"x96"	32"x96.5" Pre-Fab 12mm	24"x24" 2CM	24"x48" 2CM	12"x12" (2"x2") Mosaic	9"x11" Hexagon Mosaic	3"x24" Bullnose	6"x12" Cove Base
ROMAN	Matte 1105618 Polished 1105623	Matte 1105603 Polished 1105608 Chiseled 1105613	Matte 1105688	Matte 1105671 Sharknose 1105676 L-Shaped Top 1106075	Grip 1105535	Grip 1105530	Matte 1105644 Polished 1105649	Matte 1105654 Polished 1105659	Matte 1105629 Polished 1105634	Matte 1105639
NAVONA	Matte 1105619 Polished 1105624	Matte 1105604 Polished 1105609 Chiseled 1105614	Matte 1105689	Matte 1105672 Sharknose 1105677 L-Shaped Top 1106076	Grip 1105536	Grip 1105531	Matte 1105645 Polished 1105650	Matte 1105655 Polished 1105660	Matte 1105630 Polished 1105635	Matte 1105640
SILVER	Matte 1105620 Polished 1105625	Matte 1105605 Polished 1105610 Chiseled 1105615	Matte 1105690	Matte 1105673 Sharknose 1105678 L-Shaped Top 1106077	Grip 1105537	Grip 1105532	Matte 1105646 Polished 1105651	Matte 1105656 Polished 1105661	Matte 1105631 Polished 1105636	Matte 1105641
TITANIUM	Matte 1105621 Polished 1105626	Matte 1105606 Polished 1105611 Chiseled 1105616	Matte 1105691	Matte 1105674 Sharknose 1105679 L-Shaped top 1106078	Grip 1105538	Grip 1105533	Matte 1105647 Polished 1105652	Matte 1105657 Polished 1105662	Matte 1105632 Polished 1105637	Matte 1105642
BOLD	Matte 1105622 Polished 1105627	Matte 1105607 Polished 1105612 Chiseled 1105617	Matte 1105692	Matte 1105675 Sharknose 1105680 L-Shaped Top 1106079	Grip 1105539	Grip 1105534	Matte 1105648 Polished 1105653	Matte 1105658 Polished 1105663	Matte 1105633 Polished 1105638	Matte 1105643

Technical Specifications

This product meets or exceeds all standards described in ANSI A137.1 & A137.3. Este product cumple o exceed todos los estandares de ANSI A137.1 & A137.3.

	SPECS	TEST METHOD	INDUSTRY STANDARD	MILE®stone VALUES		
	WATER ABSORPTION	ASTM C373	≤0.5%	≤0.5%		
*	SURFACE WEAR RESISTANCE	ANSI A137.1	Surface Wear-resistance properties of glazed vitreous and porcelain tiles.	ALL RESIDENTIAL / COMMERCIAL		
^	CHEMICAL RESISTANCE	ASTM C650	A tile sample is placed in continuous contact with a variety of chemicals for 24 hours. Sample must show no visible defects.	NOT AFFECTED		
*	D 0 0 5 A T + @	ANSI	INDOOR ≥0.42 WET	≥0.42 WET (MATTE SURFACES)		
	D.C.O.F. AcuTest®	A326.3	OUTDOOR >0.55 WET	>0.55 WET (2CM & GRIP)		
×	STAIN RESISTANCE	ASTM C1378	Surfaces are exposed to staining agents for 24 hours followed by four cleaning procedures. Results are recorded post cleaning.	NOT AFFECTED		
	BREAKING STRENGTH GAUGED PORCELAIN 6MM	ASTM C1505	≥175 lbf	≥200 lbf		
<u> </u>	BREAKING STRENGTH	ASTM C648	≥275 lbf	≥300 lbf		
	BREAKING STRENGTH OUTDOOR 2CM	ASTM 1505	2000 lbf (10.9 kN)	≥2500 lbf		
**	RESISTANCE TO FREEZE	ASTM C1026	A tile sample is subjected to repeated processes of freezing and thawing. Sample must show no visible defects.	RESISTANT		
	WARPAGE EDGE	ASTM C485	±0.40% or ±0.05 in (±1.8 mm)	± 0.40%	Rectified	
	WARPAGE DIAGONAL	ASTM C485	±0.40% or ±0.07 in (±1.8 mm)	± 0.40%	Rectified	
H	WEDGING	ASTM C502	±0.25% or ±0.03 in (±0.8 mm)	± 0.25%	Rectified	
	WARPAGE EDGE	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated	
	WARPAGE DIAGONAL	ASTM C485	±0.50% or ±0.07 in (±1.8 mm)	± 0.50%	Calibrated	
H	WEDGING	ASTM C502	±0.50% or ±0.08 in (±2.0 mm)	± 0.50%	Calibrated	
ı	THICKNESS GAUGED PORCELAIN	ASTM C499	Range: ± 0.02 in	≤0.02 in		
	THICKNESS	ASTM C499	Range: ± 0.04 in	≤0.04 in		
	LENGTH / WIDTH VARIATION	ASTM C499	±0.25% or ±0.03 in (±0.8 mm) ±0.			

⁻ Due to the inherent nature of fired porcelain tile, it is important to note that the coefficent of friction may vary within and between product runs

between product runs OPICAL
TILE & MARBLE

Green Certifications & Accreditations

DESCRIPTION

	DESCRIPTION
Red List Free Declare.	Declare labels disclose all intentionally added ingredients and residuals present in the final product. Being Red List Free means the worst materials, chemicals, and elements for human and environmental health are not present within our products.
hod VERSION 2.0	The Health Product Declaration Collaborative transparency declaration for all of Florim USA's naturally occurring materials.
ЕРД®	Certification of plant and product specific Environmental Product Declaration (EPD) which tracks environmental impacts from the production of porcelain tile.
G GREEN SQUARED	Tile Council of North America and the American National Standards Institute's standard for sustainability and environmental impact.
GENCUARD WANTED THE STATE OF T	Underwriter's Laboratories certification of low emitting materials. Florim USA is Green Guard Gold certified.
Read Course	Defines post-consumer content of as much as 3% recycled material which reduces landfill impact. Certified by Bureau Veritas.
Consumo i	Defines pre-consumer content of as much as 45% recycled material which reduces our carbon footprint. Certified by Bureau Veritas.
INTERNATIONAL LIVING FUTURE INSTITUTE	Florim USA's sustainability and social practices support the mission of The International Living Future Institute which strives to create a socially just, culturally rich, and ecologically restorative community.
THE PARTY OF THE P	USGBC is committed to suit a more sustainable life. Florim USA supports this mission by manufacturing products which aid architects in achieving USGBC certification.
	Florim USA is proud to regionally source 100% of the raw materials used in the production of the body of our tile, supporting local industries and sustainable practices.
TCNA III COONTA OF NORTH AND REAL NO.	Florim USA actively participates in the Tile Council of North America which allows us to be on the forefront of advances in the tile industry and its standards.
	The Tennessee Recycling Coalition is dedicated to promoting recycling and sustainable material management practices, and awarded Florim USA the Tennessee Recycler of the Year award for 2020.
ISO 9001 Solver Plansman Carriero Carri	ISO 9001 & ISO 14001 are globally recognized standards. ISO 9001 certifies that Florim USA products and practices continually meet and exceed customer and regulatory requirements. ISO 14001 certifies that Florim USA complies with environmental regulations and that it's manufacturing practices are environmentally conscious.
BENEFIT CORPORATION	Florim USA updated its corporate charter in 2022 to become a Benefit Corporation. Our company is committed to maintaining this designation through initiatives focused on sustainability, social responsibility, ethical business practices and transparent, annual reporting on our social and environmental performance.

Cleaning & Maintenance / Routine Care Instructions



Scan the QR code with your smartphone.

Progress that invests in the entire society

As an active member of the U.S Green Building Council, MILE*stone spreads awareness to the community and encourages the use of building solutions through environmentally friendly practices.

Our products positively contribute to the requirements for obtaining the LEED (Leadership in Energy and Environmental Design) and WELL (IWBI) certifications.

A commitment to environmental sustainability and responsibility

We are committed to conscious development that minimizes the negative impact of manufacturing production on the environment. Our general approach to sustainability intersects with our business strategy to embrace three areas of responsibility: economic, social, and environmental. Some ways we prove this are:

- Products containing as much as 45% recycled content.
- Post-consumer recycled content levels as much as 3%.
- Zero industrial wastewater discharge.
- A 99% internal process recycling rate.
- 100% regionally sourced raw materials used in the production of the body of our tile, supporting local industries and sustainable practices.

MILE stone is taking these and other steps, as well as actively investing to reduce carbon emissions to ensure that we reach full carbon neutrality.











